ISIS - Feature #4221

Develop radiometric calibration application, amicacal, for the Hayabusa AMICA framing instrument

2016-08-11 04:49 PM - Tyler Wilson

Status: Closed

Priority: Normal

Assignee: Tyler Wilson

Category: Applications

Target version: 3.4.13 (FY16 R3 2016-08-31 Aug)

Impact: This is a calibration application for the

AMICA instrument on Hayabusa, and will not affect other parts of ISIS.

Software Version:

Description

The Hayabusa AMICA instrument requires a radiometric calibration correction application. The steps required to implement the calibration are:

- 1) BIAS Formula and subtract using center date. Check for smear-corrected pictures (already corrected for bias? ~SKY=0)
- 2) LINEARITY
- 3) DARK is negligible and likely won't be added
- 4) HOT PIXELS we just use the six top hot pixels (table6)
- 5) SMEAR REMOVAL (>10/02/2005) extract sky value (edge of frame?)
- 6) FLAT FIELD Pre-flight flats then derive time-dependent flats derived from the FF lamp measurements?
- 7) CONVERSION DN to I/F Conversion factors+ solar distance. Will check the conversion factor we have to use.
- 8) PSF correction

References:

The Hayabusa Spacecraft Asteroid Multi-Band Imaging Camera (AMICA), Ishiguro, M. et al, [[[http://arxiv.org/abs/0912.4797]]]

New Bugs

- 1. The PSF correction functionality of this application still has some bugs in it and should be removed until it is fixed.
- 2. The Calibrate function calculates the bias each time it is called by the ProcessBySample class and since the bias does not change, this calculation should be moved outside of Calibrate.
- 3. Use an Alpha cube for subimage and binning mapping

Related issues:

Copied from ISIS - Feature #3880: Develop radiometric calibration application...

Resolved

History

#1 - 2016-08-11 04:49 PM - Tyler Wilson

- Copied from Feature #3880: Develop radiometric calibration application, amicacal, for the Hayabusa AMICA framing instrument added

#2 - 2016-08-11 04:53 PM - Tyler Wilson

- Status changed from Resolved to Closed

2017-01-02